

NITRATE LEACHING INDEX
Clark County, Indiana

Page 1 Of 8

County	Mapunit Symbol	Mapunit Name	Compname	INN03 Leach Index
Clark County, Indiana	AddA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	8
Clark County, Indiana	AddB2	Avonburg silt loam, 2 to 4 percent slopes, eroded	Avonburg	8
Clark County, Indiana	BbhA	Bartle silt loam, 0 to 2 percent slopes	Bartle	8
Clark County, Indiana	BcrAQ	Beanblossom silt loam, 1 to 3 percent slopes, rarely flooded	Beanblossom	12
Clark County, Indiana	BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration	Beanblossom	12
Clark County, Indiana	BdoA	Bedford silt loam, 0 to 2 percent slopes	Bedford	8
Clark County, Indiana	BdoB	Bedford silt loam, 2 to 6 percent slopes	Bedford	8
Clark County, Indiana	BfbC2	Blocher, soft bedrock substratum- Weddel silt loams, 6 to 12 percent slopes, eroded	Blocher, soft bedrock substratum	8
Clark County, Indiana	BfcC3	Blocher, soft bedrock substratum- Weddel complex, 6 to 12 percent slopes, severely eroded	Blocher, soft bedrock substratum	8
Clark County, Indiana	BnyD3	Bonnell clay loam, 12 to 22 percent slopes, severely eroded	Bonnell	8
Clark County, Indiana	BobE5	Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied	Bonnell	8
Clark County, Indiana	BodAW	Bonnie silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration	Bonnie	8
Clark County, Indiana	BvoG	Brownstown-Gilwood silt loams, 25 to 75 percent slopes	Brownstown	12
Clark County, Indiana	CcaG	Caneyville-Rock outcrop complex, 25 to 60 percent slopes	Caneyville	8
Clark County, Indiana	CkbB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	Cincinnati	8
Clark County, Indiana	CldC2	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, eroded	Cincinnati	8
Clark County, Indiana	CldC3	Cincinnati-Blocher silt loams, 6 to 12 percent slopes, severely eroded	Cincinnati	8
Clark County, Indiana	ClfA	Cobbsfork silt loam, 0 to 1 percent slopes	Cobbsfork	8
Clark County, Indiana	ComC	Coolville silt loam, 6 to 12 percent slopes	Coolville	8
Clark County, Indiana	ConC3	Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded	Coolville	8
Clark County, Indiana	ConD	Coolville-Rarden complex, 12 to 18 percent slopes	Coolville	8

NATURAL RESOURCES CONSERVATION SERVICE

XXX

NITRATE LEACHING INDEX--Continued
Clark County, Indiana

Page 2 Of 8

County	Mapunit Symbol	Mapunit Name	Compname	INN03 Leach Index
Clark County, Indiana	CspA	Crider silt loam, 0 to 2 percent slopes	Crider	12
Clark County, Indiana	CspB2	Crider silt loam, 2 to 6 percent slopes, eroded	Crider	12
Clark County, Indiana	CtrB2	Crider silt loam, karst, undulating, eroded	Crider	12
Clark County, Indiana	CtwB	Crider-Bedford-Navilleton silt loams, 2 to 6 percent slopes	Crider	8
Clark County, Indiana	CwaAQ	Cuba silt loam, 0 to 2 percent slopes, rarely flooded	Cuba	12
Clark County, Indiana	CxgC3	Crider-Haggatt complex, 6 to 12 percent slopes, severely eroded	Crider	12
Clark County, Indiana	CxhC2	Crider-Haggatt silt loams, 6 to 12 percent slopes, eroded	Crider	12
Clark County, Indiana	CxmC2	Crider-Haggatt silt loams, karst, rolling, eroded	Crider	12
Clark County, Indiana	CxnC3	Crider-Haggatt complex, karst, rolling, severely eroded	Crider	12
Clark County, Indiana	DbrG	Deam silty clay loam, 20 to 55 percent slopes	Deam	8
Clark County, Indiana	DdsAW	Dearborn silt loam, 0 to 2 percent slopes, occasionally flooded, very	Dearborn	12

Clark County, Indiana	DfnA	brief duration Dubois silt loam, 0 to 2 percent slopes	Dubois	8	
Clark County, Indiana	DtvC2	Deputy-Trappist silt loams, 6 to 12 percent slopes, eroded	Deputy	8	
Clark County, Indiana	EbpD2	Eden silty clay loam, 12 to 25 percent slopes, eroded	Eden	8	
Clark County, Indiana	EesA	Elkinsville-Millstone silt loams, 0 to 2 percent slopes	Elkinsville	12	
Clark County, Indiana	EesB	Elkinsville-Millstone silt loams, 2 to 6 percent slopes	Elkinsville	12	
Clark County, Indiana	EesC2	Elkinsville-Millstone silt loams, 6 to 12 percent slopes, eroded	Elkinsville	12	
Clark County, Indiana	EesD2	Elkinsville-Millstone silt loams, 12 to 18 percent slopes, eroded	Elkinsville	12	
Clark County, Indiana	EesFQ	Elkinsville-Millstone silt loams, 18 to 40 percent slopes, rarely flooded	Elkinsville	12	

NATURAL RESOURCES CONSERVATION SERVICE

XXX

NITRATE LEACHING INDEX--Continued
Clark County, Indiana

Page 3 Of 8

County	Mapunit Symbol	Mapunit Name	Compname	INN03 Leach Index	
Clark County, Indiana	EsaG	Eden silty clay loam, 25 to 60 percent slopes, very rocky	Eden	8	
Clark County, Indiana	GgbG	Gilwood-Brownstown silt loams, 25 to 75 percent slopes	Gilwood	12	
Clark County, Indiana	Ggfd	Gilwood-Wrays silt loams, 6 to 18 percent slopes	Gilwood	12	
Clark County, Indiana	Ggfe2	Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded	Gilwood	12	
Clark County, Indiana	GmaG	Gnawbone-Kurtz silt loams, 20 to 60 percent slopes	Gnawbone	12	
Clark County, Indiana	GyaD2	Grayford silt loam, 12 to 25 percent slopes, eroded	Grayford	12	
Clark County, Indiana	GyaD3	Grayford silt loam, 12 to 25 percent slopes, severely eroded	Grayford	12	
Clark County, Indiana	GyaD5	Grayford silt loam, 12 to 25 percent slopes, gullied	Grayford	12	
Clark County, Indiana	GykD2	Grayford silt loam, karst, hilly, eroded	Grayford	12	
Clark County, Indiana	GykD3	Grayford silt loam, karst, hilly, severely eroded	Grayford	12	
Clark County, Indiana	HcaA	Hatfield silt loam, 0 to 2 percent slopes	Hatfield	8	
Clark County, Indiana	HccB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded	Haubstadt	8	
Clark County, Indiana	HcdC2	Haubstadt-Shircliff silt loams, 6 to 15 percent slopes, eroded	Haubstadt	8	
Clark County, Indiana	HceC3	Haubstadt-Shircliff complex, 6 to 15 percent slopes, severely eroded	Haubstadt	8	
Clark County, Indiana	HcgAH	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Haymond	12	
Clark County, Indiana	HcgAV	Haymond silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Haymond	12	
Clark County, Indiana	HcgAW	Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Haymond	12	
Clark County, Indiana	HerE	Hickory-Bonnell complex, 12 to 25 percent slopes	Hickory	12	
Clark County, Indiana	HtwD2	Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	Haggatt	12	
Clark County, Indiana	HtzD3	Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded	Haggatt	12	

NATURAL RESOURCES CONSERVATION SERVICE

XXX

NITRATE LEACHING INDEX--Continued
Clark County, Indiana

Page 4 Of 8

County	Mapunit Symbol	Mapunit Name	Compname	INN03 Leach Index	
Clark County, Indiana	HufAK	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Huntington	12	
Clark County, Indiana	HuhD2	Haggatt-Caneyville silt loams, karst, hilly, eroded	Haggatt	12	
Clark County, Indiana	HujD3	Haggatt-Caneyville complex, karst, hilly, severely eroded	Haggatt	12	

Clark County, Indiana	JaeB2	Jennings silt loam, 2 to 6 percent slopes, eroded	Jennings	8	
Clark County, Indiana	JafC2	Jennings-Blocher hard bedrock substratum, silt loams, 6 to 12 percent slopes, eroded	Jennings	8	
Clark County, Indiana	JafC3	Jennings-Blocher hard bedrock substratum, silt loams, 6 to 12 percent slopes, severely eroded	Jennings	8	
Clark County, Indiana	KxkC2	Knobcreek-Navilleton silt loams, 6 to 12 percent slopes, eroded	Knobcreek	8	
Clark County, Indiana	KxlC3	Knobcreek-Haggatt-Caneyville complex, 6 to 12 percent slopes, severely eroded	Knobcreek	8	
Clark County, Indiana	KxlE3	Knobcreek-Haggatt-Caneyville complex, 12 to 25 percent slopes, severely eroded	Knobcreek	8	
Clark County, Indiana	KxmE2	Knobcreek-Haggatt-Caneyville silt loams, 12 to 25 percent slopes, eroded	Knobcreek	8	
Clark County, Indiana	KxoC2	Knobcreek-Navilleton-Haggatt silt loams, karst, rolling, eroded	Knobcreek	8	
Clark County, Indiana	KxpD2	Knobcreek-Haggatt-Caneyville silt loams, karst, hilly, eroded	Knobcreek	8	

NATURAL RESOURCES CONSERVATION SERVICE

XXX

NITRATE LEACHING INDEX--Continued
Clark County, Indiana

Page 5 Of 8

County	Mapunit Symbol	Mapunit Name	Compname	INN03 Leach Index	
Clark County, Indiana	LpoAK	Lindside silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Lindside	12	
Clark County, Indiana	McgC2	Markland silt loam, 6 to 12 percent slopes, eroded	Markland	8	
Clark County, Indiana	McngQ	Markland silt loam, 18 to 50 percent slopes, eroded, rarely flooded	Markland	8	
Clark County, Indiana	McpC3	Markland silty clay loam, 6 to 12 percent slopes, severely eroded	Markland	8	
Clark County, Indiana	McuDQ	Markland silty clay loam, 12 to 25 percent slopes, severely eroded, rarely flooded	Markland	8	
Clark County, Indiana	MdqDQ	Markland silt loam, 12 to 25 percent slopes, eroded, rarely flooded	Markland	8	
Clark County, Indiana	MhuA	McGary silt loam, 0 to 2 percent slopes	McGary	8	
Clark County, Indiana	MhyA	Medora silt loam, 0 to 2 percent slopes	Medora	8	
Clark County, Indiana	MhyB2	Medora silt loam, 2 to 6 percent slopes, eroded	Medora	8	
Clark County, Indiana	MhyC2	Medora silt loam, 6 to 12 percent slopes, eroded	Medora	8	
Clark County, Indiana	MhyC3	Medora silt loam, 6 to 12 percent slopes, severely eroded	Medora	8	
Clark County, Indiana	MsvA	Montgomery silty clay loam, 0 to 1 percent slopes	Montgomery	6	
Clark County, Indiana	NaaA	Nabb silt loam, 0 to 2 percent slopes	Nabb	8	
Clark County, Indiana	NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded	Nabb	8	
Clark County, Indiana	NbhAK	Newark silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration	Newark	8	
Clark County, Indiana	OfbAW	Oldenburg loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Oldenburg	12	
Clark County, Indiana	PcrB2	Pekin silt loam, 2 to 6 percent slopes, eroded	Pekin	8	
Clark County, Indiana	PcrC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin	8	
Clark County, Indiana	PcrC3	Pekin silt loam, 6 to 12 percent slopes, severely eroded	Pekin	8	
Clark County, Indiana	PhaA	Peoga silt loam, 0 to 1 percent slopes	Peoga	8	
Clark County, Indiana	Pml	Pits, quarry	Pits, quarry	0	
Clark County, Indiana	Ppu	Pits, sand and gravel	Pits, sand and gravel	0	
Clark County, Indiana	Rbld3	Rarden silty clay loam, 12 to 18 percent slopes, severely eroded	Rarden	8	
Clark County, Indiana	Rbmd5	Rarden silty clay, 6 to 18 percent slopes, gullied	Rarden	8	
Clark County, Indiana	RptG	Rohan-Jessietown complex, 25 to 60 percent slopes, rocky	Rohan	6	
Clark County, Indiana	RtcA	Ryker silt loam, 0 to 2 percent slopes	Ryker	12	

NITRATE LEACHING INDEX--Continued
Clark County, Indiana

Page 6 Of 8

County	Mapunit Symbol	Mapunit Name	Compname	INN03 Leach Index
Clark County, Indiana	RtcB2	Ryker silt loam, 2 to 6 percent slopes, eroded	Ryker	12
Clark County, Indiana	RzrB2	Ryker silt loam, karst, undulating, eroded	Ryker	12
Clark County, Indiana	RztC2	Ryker-Grayford silt loams, 6 to 12 percent slopes, eroded	Ryker	12
Clark County, Indiana	RztC3	Ryker-Grayford silt loams, 6 to 12 percent slopes, severely eroded	Ryker	12
Clark County, Indiana	RzvC2	Ryker-Grayford silt loams, karst, rolling, eroded	Ryker	12
Clark County, Indiana	RzvC2	Ryker-Grayford silt loams, karst, rolling, eroded	Grayford	12
Clark County, Indiana	RzvC3	Ryker-Grayford silt loams, karst, rolling, severely eroded	Ryker	12
Clark County, Indiana	SceB2	Scottsburg silt loam, 2 to 4 percent slopes, eroded	Scottsburg	8
Clark County, Indiana	SfyB	Shircliff silt loam, 2 to 6 percent slopes	Shircliff	8
Clark County, Indiana	SoaB	Spickert silt loam, 2 to 6 percent slopes	Spickert	8
Clark County, Indiana	SodB	Spickert silt loam, terrace, 1 to 4 percent slopes	Spickert	8
Clark County, Indiana	SolC2	Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded	Spickert	8
Clark County, Indiana	StaAQ	Steff silt loam, 0 to 2 percent slopes, rarely flooded	Steff	12
Clark County, Indiana	StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded	Stendal	8
Clark County, Indiana	StdAW	Stendal silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Stendal	8
Clark County, Indiana	ThaC2	Trappist silt loam, 6 to 12 percent slopes, eroded	Trappist	8
Clark County, Indiana	ThbC3	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded	Trappist	8
Clark County, Indiana	ThbD5	Trappist silty clay loam, 6 to 18 percent slopes, gullied	Trappist	8
Clark County, Indiana	ThcD3	Trappist-Rohan complex, 12 to 25 percent slopes, severely eroded	Trappist	8
Clark County, Indiana	ThdD	Trappist-Rohan silt loams, 12 to 25 percent slopes	Trappist	8
Clark County, Indiana	TsaC3	Trappist-Deputy complex, 6 to 12 percent slopes, severely eroded	Trappist	8
Clark County, Indiana	Uaa	Udorthents, cut and filled	Udorthents, cut and filled	0

NATURAL RESOURCES CONSERVATION SERVICE

XXX

NITRATE LEACHING INDEX--Continued
Clark County, Indiana

Page 7 Of 8

County	Mapunit Symbol	Mapunit Name	Compname	INN03 Leach Index
Clark County, Indiana	UaoAK	Udifluvents, cut and filled-Urban land complex, 0 to 2 percent slopes, occasionally flooded, brief duration	Udifluvents, cut and filled	0
Clark County, Indiana	UaoAK	Udifluvents, cut and filled-Urban land complex, 0 to 2 percent slopes, occasionally flooded, brief duration	Urban land	0
Clark County, Indiana	UedA	Urban land-Aquents, clayey substratum, complex, lake plain, 0 to 3 percent slopes	Urban land	0
Clark County, Indiana	UedA	Urban land-Aquents, clayey substratum, complex, lake plain, 0 to 3 percent slopes	Aquents, clayey substratum	0
Clark County, Indiana	UndAY	Urban land-Udifluvents complex, leveed, 0 to 2 percent slopes	Urban land	0
Clark County, Indiana	UndAY	Urban land-Udifluvents complex, leveed, 0 to 2 percent slopes	Udifluvents	0
Clark County, Indiana	UngB	Urban land-Udarents, fragipan substratum, complex, till plain, 0 to 12 percent slopes	Urban land	0
Clark County, Indiana	UngB	Urban land-Udarents, fragipan substratum, complex, till plain, 0 to 12 percent slopes	Udarents, fragipan substratum	0

Clark County, Indiana	UnkB	Urban land-Udarents, silty substratum, complex, terrace, 0 to 6 percent slopes	Urban land	10	
Clark County, Indiana	UnkB	Urban land-Udarents, silty substratum, complex, terrace, 0 to 6 percent slopes	Udarents, silty substratum	10	
Clark County, Indiana	UnpA	Urban land-Udarents, loamy substratum, complex, terrace, 0 to 3 percent slopes	Urban land	10	
Clark County, Indiana	UnpA	Urban land-Udarents, loamy substratum, complex, terrace, 0 to 3 percent slopes	Udarents, loamy substratum	10	
Clark County, Indiana	Unsb	Urban land-Udarents, clayey substratum, complex, hills, 2 to 10 percent slopes	Urban land	10	
Clark County, Indiana	Unsb	Urban land-Udarents, clayey substratum, complex, hills, 2 to 10 percent slopes	Udarents, clayey substratum	10	
Clark County, Indiana	W	Water	Water	10	
Clark County, Indiana	WaaAV	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Wakeland	18	
Clark County, Indiana	WaaAW	Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wakeland	18	
Clark County, Indiana	WedB2	Weddel silt loam, 2 to 6 percent slopes, eroded	Weddel	18	
Clark County, Indiana	WhcD	Wellrock-Gnawbone silt loams, 6 to 20 percent slopes	Wellrock	12	
Clark County, Indiana	WnmA	Whitcomb silt loam, 0 to 2 percent slopes	Whitcomb	18	
Clark County, Indiana	WokAV	Wilbur silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration	Wilbur	12	
Clark County, Indiana	WokAW	Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wilbur	12	

NATURAL RESOURCES CONSERVATION SERVICE

XXX

NITRATE LEACHING INDEX--Continued
Clark County, Indiana

Page 8 Of 8

County	Mapunit Symbol	Mapunit Name	Compname	INN03 Leach Index
Clark County, Indiana	WprAW	Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration	Wirt	12